

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	26-05-2026 15:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	26-05-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Labour And Employment
विभाग का नाम / Department Name	Employees State Insurance Corporation
संगठन का नाम / Organisation Name	Employees State Insurance Corporation
कार्यालय का नाम / Office Name	Esic Hospital Bareilly
कुल मात्रा / Total Quantity	219
वस्तु श्रेणी / Item Category	XL Auto Wash kit , XL Multical , ERBA NORM KIT , ERBA PATH KIT , GLUCOSE KIT , UERA KIT , CREATININE ENZYMATIC KIT , CALCIUM KIT , AST KIT , ALT KIT , ALP KIT , BILIRUBIN TOTAL , BILIRUBIN DIRECT , TOTAL PROTEIN , ALBUMIN , CHOLESTEROL , HDL CHOLESTEROL , TRIGLYCERIDE KIT , AMYLASE KIT , LIPAS KIT , XL CRP KIT WITH CALIBRATOR , XL HBA1C KIT WITH CALIBRATOR , XL RF WITH CALIBRATOR , PHOSPHOROUS KIT , DS DILUENT , LH LYSE , LN LYSE , LD LYSE , FN DYE , FD DYE , PROBE CLEANSER , CONTROL 6D
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	XL Auto Wash kit 5x44ml/5x44ml, XL Multical 4x3ml, ERBA NORM KIT 4x5ml, ERBA PATH KIT 4x5ml, GLUCOSE KIT 10x44ml, UERA KIT 5x44ml/5x11ml, CREATININE ENZYMATIC KIT 5x30ml/5x10ml, CALCIUM KIT 10x12ml, AST KIT 6x44ml/3x22ml, ALT KIT 6x44mml/3x22ml, ALP KIT 02x44ml/02x11ml, BILIRUBIN TOTAL 6x44ml/3x22ml, BILIRUBIN DIRECT 6x44ml/3x22ml, TOTAL PROTEIN 10x44ml, ALBUMIN 05x22ml, CHOLESTEROL 10x44ml, HDL CHOLESTEROL with calibrator 04x30ml/04x10ml, TRIGLYCERIDE KIT 05x44ml/05x11ml, AMYLASE KIT 05x22ml, LIPAS KIT 1x44ml/01x11ml, XL CRP KIT WITH CALIBRATOR 02x22ml/02x6.7ml, XL HBA1C KIT WITH CALIBRATOR 2x15/2x5ml, XL RF WITH CALIBRATOR 01x22ml/1x5.5ml, PHOSPHOROUS KIT 10x12ml, DS DILUENT 20 liter, M6 LH LYSE 1 L, M6 LN LYSE 1 L , M6 LD LYSE 1 L , M6 FN DYE 12mL, M6 FD DYE 12mL, PROBE CLEANSER 100mL, CONTROL 6D for mindray BC6200 CBC Analyzer
	Searched String: XL Auto Wash kit 5x44ml/5x44ml Alcohol Based Hand Sanitizer, Package No. 5 Atal Tinkering Lab of Niti Aayog - Advance Prototyping Kit and Software -

बिड विवरण / Bid Details

Robotics and AI, Plastic Wash Bottle, Hemodialysis Catheter Kit, Auto - Disabled Syringes for Fixed Dose Immunization

(V2), Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Antimicrobial Hand Wash (V2), Plasmid Kits, Auditorium Chair (V2), Integrated pest management (IPM) Kit

Searched String: XL Multical 4x3ml

XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), Box Strapping Machine, XLPE Cable, Working Voltage from 66 kV up to and including 220 kV (V2) ISI Marked to IS 7098 (Part 3), Cleaning Duster (V3), Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Digital Camouflage (Jacket and Trouser) Polyester Cotton (in sets) ICG, XLPE Cables, Category C1 - FR, for Working Voltages from 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), High End Desktop Computer, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)

Searched String: ERBA NORM KIT 4x5ml

Hemodialysis Catheter Kit, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Bluetooth Trainer Educational Kit, Biochemistry Reagent Kit for Human Samples, Plasmid Kits, 5 Part Automated Hematology Analyser (V2), Work Books (Preschool Kit), Integrated pest management (IPM) Kit, Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), Package No. 5 Atal Tinkering Lab of Niti Aayog - Advance Prototyping Kit and Software - Robotics and AI

Searched String: ERBA PATH KIT 4x5ml

Hemodialysis Catheter Kit, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Bluetooth Trainer Educational Kit, Biochemistry Reagent Kit for Human Samples, Plasmid Kits, 5 Part Automated Hematology Analyser (V2), Work Books (Preschool Kit), Integrated pest management (IPM) Kit, Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), Package No. 5 Atal Tinkering Lab of Niti Aayog - Advance Prototyping Kit and Software - Robotics and AI

Searched String: GLUCOSE KIT 10x44ml

Glucose, Cleaning Duster (V3), Glucose agar, Glucose-6-Phosphate Dehydrogenase (G6PD) Activity Test Kit (V2), Glucose Salt Teepol Broth, Blood Glucose Meter - Glucometer (V2), Chloramphenicol Yeast Extract Glucose Agar, Biochemistry Reagent Kit for Human Samples, Violet Red Bile Glucose Agar, Dry Erase Writing Boards (V3)

Searched String: UERA KIT 5x44ml/5x11ml

Cleaning Duster (V3), Hemodialysis Catheter Kit, File/Folder (V3), Dental Composite Kit with Etchant and Bonding Agent, All in One PC (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Dry Erase Writing Boards (V3), High End Desktop Computer, Entry and Mid Level Desktop Computer, Pin Up Notice Board (V2)

बिड विवरण/Bid Details
Searched String: CREATININE ENZYMATIC KIT
5x30ml/5x10ml

Biochemistry Reagent Kit for Human Samples, Cleaning Duster (V3), File/Folder (V3), All in One PC (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Dry Erase Writing Boards (V3), High End Desktop Computer, Entry and Mid Level Desktop Computer, Pin Up Notice Board (V2), Nitrile Coated/Nitrile Hand Gloves (V2)

Searched String: CALCIUM KIT 10x12ml

Calcium Oxide, Cleaning Duster (V3), Calcium Metal, Calcium Silicate, Calcium hypophosphite, Calcium carbide, Calcium Stearate, Calcium Hydroxide, Dry Erase Writing Boards (V3), Calcium Standard

Searched String: AST KIT 6x44ml/3x22ml

Biochemistry Reagent Kit for Human Samples, Cleaning Duster (V3), Tool Kit for Seeng Evam Asthi Utpaad (Horn and Bone Products) - ODOP UP Gov. (Sambhal), Dental Composite Kit with Etchant and Bonding Agent, Dry Erase Writing Boards (V3), Abdominal Drainage Kit (V2), File/Folder (V3), Fibrin Sealant, Pin Up Notice Board (V2), Plasmid Kits

Searched String: ALT KIT 6x44mml/3x22ml

Biochemistry Reagent Kit for Human Samples, Cleaning Duster (V3), Central Venous Catheter Conforming to IS 10555 (Part 3), Dry Erase Writing Boards (V3), Bag Kit Universal (Defence), File/Folder (V3), Hemodialysis Catheter Kit, Pin Up Notice Board (V2), Dak Pad (V2), Abdominal Drainage Kit (V2)

Searched String: ALP KIT 02x44ml/02x11ml

Thanda Garam Pina Alpahar Kit (Gujarat Govt), Cleaning Duster (V3), Magnetic Alphabet Chart (Preschool Kit), Fibrin Sealant, Alphabet Flash Cards (Preschool Kit), Biochemistry Reagent Kit for Human Samples, Hemodialysis Catheter Kit, Alphabet Block Set / Number Block Set (Preschool Kit), Alphabet kits or Alphabet Slate, Restorative Filling and Carving Dental Instruments Set (V2) - RBSK

Searched String: BILIRUBIN TOTAL 6x44ml/3x22ml

Biochemistry Reagent Kit for Human Samples, Cleaning Duster (V3), Dry Erase Writing Boards (V3), File/Folder (V3), Pin Up Notice Board (V2), Sterile Hypodermic Syringe (V3), Dak Pad (V2), Recycled Towel, Sheeting, Tickings and Bedsheets (V2) as per IS 175, Laminar air flow cabinets or stations

Searched String: BILIRUBIN DIRECT 6x44ml/3x22ml

Biochemistry Reagent Kit for Human Samples, Cleaning Duster (V3), Dry Erase Writing Boards (V3), File/Folder (V3), Pin Up Notice Board (V2), Sterile Hypodermic Syringe (V3), Dak Pad (V2), Recycled Towel, Sheeting, Tickings and Bedsheets (V2) as per IS 175, Laminar air flow cabinets or stations

Searched String: TOTAL PROTEIN 10x44ml

विड विवरण / Bid Details	electronic total station, Cleaning Duster (V3), Protein Powder, FTIR Technology based Milk Analyser, Total Knee
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Replacement Implant, Total Stretch (Version 2), Protein ladder marker, Nitrogen / Protein Analyzers, Kids Protein Powder, Dry Erase Writing Boards (V3)</p> <p>Searched String: ALBUMIN 05x22ml</p> <p>Albumin Egg Flakes, Cleaning Duster (V3), Bovine Albumine, Biochemistry Reagent Kit for Human Samples, Dry Erase Writing Boards (V3), File/Folder (V3), Pin Up Notice Board (V2), water baths, Sterile Hypodermic Syringe (V3), Dak Pad (V2)</p> <p>Searched String: CHOLESTEROL 10x44ml</p> <p>Biochemistry Reagent Kit for Human Samples, Cleaning Duster (V3), Dry Erase Writing Boards (V3), water baths, File/Folder (V3), Pin Up Notice Board (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Sterile Hypodermic Syringe (V3), Dak Pad (V2), Recycled Towel</p> <p>Searched String: HDL CHOLESTEROL with calibrator 04x30ml/04x10ml</p> <p>Pin Up Notice Board (V2), Process Calibrator, Sterile Hypodermic Syringe (V3), Reciprocal Shakers - Mechanical Shaker Machine with Timer, Parallel Bar - Outdoor Gym Equipment, Laboratory Vials (V3), Water Jugs, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Portable Toilet, Multimedia Projector (MMP)</p> <p>Searched String: TRIGLYCERIDE KIT 05x44ml/05x11ml</p> <p>Biochemistry Reagent Kit for Human Samples, Cleaning Duster (V3), Dry Erase Writing Boards (V3), File/Folder (V3), Pin Up Notice Board (V2), Sterile Hypodermic Syringe (V3), Dak Pad (V2), Recycled Towel, Sheeting, Tickings and Bedsheets (V2) as per IS 175, Laminar air flow cabinets or stations</p> <p>Searched String: AMYLASE KIT 05x22ml</p> <p>OVE Kit, Cleaning Duster (V3), VIA Kit, Resuscitation Kit, Gardening Kit, Biochemistry Reagent Kit for Human Samples, Facial Kit, Waxing Kit, Ration Kit, Dry Erase Writing Boards (V3)</p> <p>Searched String: LIPAS KIT 1x44ml/01x11ml</p> <p>Cleaning Duster (V3), Fibrin Sealant, Hemodialysis Catheter Kit, Dry Erase Writing Boards (V3), Plasmid Kits, File/Folder (V3), Pin Up Notice Board (V2), Sterile Hypodermic Syringe (V3), Dak Pad (V2), Recycled Towel</p> <p>Searched String: XL CRP KIT WITH CALIBRATOR 02x22ml/02x6.7ml</p> <p>Laser Range Finder, Process Calibrator, Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), Dental Composite Kit with Etchant and Bonding Agent, Laboratory Glassware - Burettes (V2) as per IS 1997, Integrated pest management (IPM) Kit, Blood Collection Tube, Reciprocal Shakers - Mechanical Shaker Machine with Timer</p> <p>Searched String: XL HBA1C KIT WITH CALIBRATOR</p>

बिड विवरण/Bid Details

2x15/2x5ml

Sofa (V3), High End Desktop Computer, OTI / WTI Calibrator, Pin Up Notice Board (V2), Process Calibrator, Towel Hand Cotton Turkish (IAF), Digital Medical X - Ray Films (V2), Bucket Mop Wringer Trolley, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694

Searched String: XL RF WITH CALIBRATOR
01x22ml/1x5.5ml

High End Desktop Computer, Entry and Mid Level Desktop Computer, File/Folder (V3), Pin Up Notice Board (V2), Sterile Hypodermic Syringe (V3), Shaker Incubator, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

Searched String: PHOSPHOROUS KIT 10x12ml

OVE Kit, Cleaning Duster (V3), VIA Kit, Plasmid Kits, Resuscitation Kit, Gardening Kit, Facial Kit, Dry Erase Writing Boards (V3), Waxing Kit, water baths

Searched String: DS DILUENT 20 liter

Stabilized Hydrogen Peroxide Marked to IS 2080 (In Liter), Foam Liquid Aqueous Film Forming (Defence), Power sprayer, Vacuum Oven, Rice Warmer (V2), Non Carbonated Beverage Dispenser (V2), Rubber Hot Water Bottel as per IS 1867, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Sports and Gym Kit Bag, Washable Distemper-IS:428

Searched String: M6 LH LYSE 1 L

L 1 Fingerprint Registered Device Scanners for Bio - Metric Authentication (UIDAI) (V2), Ultra low temperature laboratory deep freezer, Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429, Health Supplements, Nutraceuticals and Food for Special Dietary Use, Muffle/Box Furnace (V2), Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Haematology Analyzer Reagents (V2), Digital Trainer Kit, Lyophilizer, Nasal Cannula (V2)

Searched String: M6 LN LYSE 1 L

L 1 Fingerprint Registered Device Scanners for Bio - Metric Authentication (UIDAI) (V2), Ultra low temperature laboratory deep freezer, Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429, Health Supplements, Nutraceuticals and Food for Special Dietary Use, Muffle/Box Furnace (V2), Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Digital Trainer Kit, Lyophilizer, Nasal Cannula (V2), Screw Drivers as per IS 844

Searched String: M6 LD LYSE 1 L

L 1 Fingerprint Registered Device Scanners for Bio - Metric Authentication (UIDAI) (V2), Ultra low temperature

बिड विवरण / Bid Details	laboratory deep freezer, Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429, Health Supplements, Nutraceuticals and Food for Special Dietary Use, Muffle/Box Furnace (V2), Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Haematology Analyzer Reagents (V2), Digital Trainer Kit, Lyophilizer, Nasal Cannula (V2)
	<p>Searched String: M6 FN DYE 12mL</p> <p>Fluorescent Dye Spray, Vacuum Oven, Desk and Bench Set for Classroom/Training Area, Shaker Incubator, Blood Collection Tube, shoes school pvc boys girls, Desk and Chair Set for Classroom/Training Area, JAR TEST APPARATUS, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Laboratory Glassware Volumetric Flask</p> <p>Searched String: M6 FD DYE 12mL</p> <p>Fluorescent Dye Spray, Vacuum Oven, Desk and Bench Set for Classroom/Training Area, Shaker Incubator, Blood Collection Tube, shoes school pvc boys girls, Desk and Chair Set for Classroom/Training Area, JAR TEST APPARATUS, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Laboratory Glassware Volumetric Flask</p> <p>Searched String: PROBE CLEANSER 100mL</p> <p>Four Probe, Sterile Hypodermic Syringe (V3), Current Probe, Dental Straight Probe (V2) - RBSK, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), High Voltage Probe, PH buffer solution, Ultrasonic Probe Sonicator, Shaker Incubator, High Voltage Probe (V2)</p> <p>Searched String: CONTROL 6D for mindray BC6200 CBC Analyzer</p> <p>Controls for Diagnostic Analyzers, Immunoassay Analyzer Reagent Kit for Human Samples, Protein Analyzer Reagents for Human Samples, TERA Package 1 – 3D Printed Bipod with Fully Automatic Biochemistry Analyzer (V2)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Fully Automatic Biochemistry Analyzer (V2) • Biochemistry Reagent Kit for Human Samples • Haematology Analyzer Reagents (V2)
बीओक्यू शीर्षक / BOQ Title	Bid for Reagents for Fully automatic Hematology analyzer and fully automatic Biochemistry analyzer
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	4 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	12 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	1 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete

बिड विवरण/Bid Details	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन / Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	XL Auto Wash kit
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	5 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Group wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
fully Automatic Biochemistry analyzer Reagents ईएमडी राशि/EMD Amount (In INR)	8775
Fully Automatic Hematology Analyzer Reagent BC-6200 ईएमडी राशि/EMD Amount (In INR)	14731

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	15

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

MEdical Superintendent
ESIC HOSPITAL BAREILLY, Employees State Insurance Corporation,
(Medical Superintendent)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)
---	---

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid

document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Categor y	Consignee/Rep orting Officer	Consignee Address	Qua ntit y
fully Automatic Biochemistry analyzer Reagents	XI Auto Wash Kit	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	2
	XI Multical	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	2
	Erba Norm Kit	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	2
	Erba Path Kit	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	2
	Glucose Kit	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	2
	Uera Kit	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	4
	Creatinine Enzymatic Kit	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	4
	Calcium Kit	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	1
	Ast Kit	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	2
	Alt Kit	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	3
	Alp Kit	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	9
	Bilirubin Total	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	4
	Bilirubin Direct	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	4
	Total Protein	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	1
	Albumin	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	9
	Cholesterol	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	2
	Hdl Cholesterol	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	2
	Triglyceride Kit	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	2
	Amylase Kit	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	1
	Lipas Kit	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	1

	XI Crp Kit With Calibrator	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	1
	XI Hba1c Kit With Calibrator	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	6
	XI Rf With Calibrator	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	5
	Phosphorous Kit	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	1
Fully Automatic Hematology Analyzer Reagent BC-6200	Ds Diluent	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	23
	Lh Lyse	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	8
	Ln Lyse	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	20
	Ld Lyse	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	20
	Fn Dye	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	20
	Fd Dye	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	20
	Probe Cleanser	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	30
	Control 6d	Vishnu Prakash V G	ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY 243502	6

XL Auto Wash Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	2	21

XL Multical

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	2	21

ERBA NORM KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	2	21

ERBA PATH KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	2	21

GLUCOSE KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	2	21

UERA KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	4	21

CREATININE ENZYMATIC KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	4	21

CALCIUM KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	1	21

AST KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	2	21

ALT KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	3	21

ALP KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	9	21

BILIRUBIN TOTAL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	4	21

BILIRUBIN DIRECT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	4	21

TOTAL PROTEIN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	1	21

ALBUMIN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	9	21

CHOLESTEROL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	2	21

HDL CHOLESTEROL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	2	21

TRIGLYCERIDE KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	2	21

AMYLASE KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	1	21

LIPAS KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	1	21

XL CRP KIT WITH CALIBRATOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	1	21

XL HBA1C KIT WITH CALIBRATOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	6	21

XL RF WITH CALIBRATOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	5	21

PHOSPHOROUS KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	1	21

DS DILUENT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	23	21

LH LYSE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	8	21

LN LYSE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	20	21

LD LYSE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	20	21

FN DYE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	20	21

FD DYE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	20	21

PROBE CLEANSER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	30	21

CONTROL 6D

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishnu Prakash V G	243502,ESIC HOSPITAL SLEEPER ROAD C.B. GANJ BAREILLY	6	21

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Bidder should submit the OEM Authorization certificate .

2. Bidder should supply the items with long usable life :-

a) for items having shelf life of two years or less :- as on date of delivery , item should not be older than one fourth (1/4) of its shelf life from date of manufacturing.

b) For items having shelf life more than two year :- as on date of delivery ,item should not be older than one sixth(1/6) of its shelf life from date of manufacturing.

3. Bidder should submit the certificates like Past experience / OEM annual Turnover/Bidder annual Turnover/MSME or startup Exemption Certificate if seeking relaxation in Experience and Turnover.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such

Custom / BOQ item is bunched with the major regular product Category Item).

2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service

Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---